

AD-A041 953

BALLISTIC RESEARCH LABS ABERDEEN PROVING GROUND MD
ON THE UNITS OF THE EQUILIBRIUM CONSTANT.(U)
JUN 77 J M HEIMERL

F/G 20/13

UNCLASSIFIED

BRL-MR-2758


NL

| OF |
AD
A041 953



END

DATE
FILMED
8-77



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A 041953

BRL MR 2758

12
B.S.
BRL

AD

MEMORANDUM REPORT NO. 2758

ON THE UNITS OF THE EQUILIBRIUM CONSTANT

J. M. Heimerl

June 1977



Approved for public release; distribution unlimited.

USA ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
USA BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

AD NO.

DDC FILE COPY

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating
or sponsoring activity is prohibited.

Additional copies of this report may be obtained
from the National Technical Information Service,
U.S. Department of Commerce, Springfield, Virginia
22151.

The findings in this report are not to be construed as
an official Department of the Army position, unless
so designated by other authorized documents.

UNCLASSIFIED

(14) BRL-MR-2758

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE | | READ INSTRUCTIONS BEFORE COMPLETING FORM |
|---|--|---|
| 1. REPORT NUMBER BRL Memorandum Report No. 2758 ✓ | 2. JOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER |
| 4. TITLE (and Subtitle) ON THE UNITS OF THE EQUILIBRIUM CONSTANT. | 5. TYPE OF REPORT & PERIOD COVERED Final rept. | |
| 7. AUTHOR(s) J. M. Heimerl | 6. PERFORMING ORG. REPORT NUMBER | |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS USA Ballistic Research Laboratory Aberdeen Proving Ground, Maryland 21005 | 8. CONTRACT OR GRANT NUMBER(s) | |
| 11. CONTROLLING OFFICE NAME AND ADDRESS US Army Materiel Development & Readiness Command 5001 Eisenhower Avenue Alexandria, Virginia 22333 | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS RDT&E 1L161102AH43 | |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) | 12. REPORT DATE JUNE 1977 | |
| | 13. NUMBER OF PAGES 12 | |
| | 15. SECURITY CLASS. (of this report) Unclassified | |
| 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. | | |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) | | |
| 18. SUPPLEMENTARY NOTES | | |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Equilibrium Constant Units Equilibrium Constant Dimensions Equilibrium Constant | | |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) (eal) A straightforward explicit derivation of the equilibrium constant is presented together with a discussion of the dimensional relationships that exist among equilibrium constants commonly used. | | |

DDC
JUL 19 1977
C

DD FORM 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

| | Page |
|--|------|
| INTRODUCTION | 5 |
| THE EQUILIBRIUM CONSTANT | 5 |
| OTHER FORMS OF THE EQUILIBRIUM CONSTANT. | 8 |
| ACKNOWLEDGEMENT. | 9 |
| BIBLIOGRAPHY | 10 |
| DISTRIBUTION LIST. | 11 |

Form with fields: REQUESTED FOR, HTS, DUC, UNANNOUNCED, JUSTIFICATION, BY, DISTRIBUTION/AVAILABILITY CODES, and a table with columns: A, AVAIL, and SPECIAL. The 'BY' field is checked.

INTRODUCTION

Some standard text discussions on the equilibrium constant are terse to the point of confusion while others are succinct to the point of error. It is the purpose of this note to present a derivation of the equilibrium constant, carrying those terms commonly treated implicitly and to demonstrate the dimensional relationships that exist among the various equilibrium constants presently in use in the literature. The sources for this eclectic presentation are listed in the bibliography.

THE EQUILIBRIUM CONSTANT

The first and second laws of thermodynamics can be written

$$dE \geq \delta Q - \delta W, \quad (1a)$$

and

$$\delta Q/T \leq dS, \quad (2a)$$

where dE is the change in the internal energy of a closed system, δQ the heat supplied to that system, δW the work done by the system, T the temperature of the system and dS the change in entropy of the system. For reversible processes and mechanical work done by hydrostatic pressure we can write

$$dE = \delta Q - PdV \quad (1b)$$

and

$$\delta Q/T = dS, \quad (2b)$$

where P is the pressure and dV the change in volume. Combining equations 1b and 2b we find

$$dE = TdS - PdV. \quad (3)$$

The enthalpy and gibbs free energy are defined

$$H \equiv E + PV \quad (4)$$

and

$$G \equiv H - TS, \quad (5)$$

respectively. The differential forms of equations (4) and (5) are

$$dH = dE + d(PV) \quad (6)$$

and

$$dG = dE + d(PV) - d(TS), \quad (7)$$

where equation 6 has been substituted for dH in equation 7. Adding $d(PV) - d(TS)$ to both sides of equation 3, using equation (7) on the

LHS and collecting terms on the RHS we find

$$dG = - SdT + VdP ; \quad (8)$$

or for an isothermal process

$$dG = VdP. \quad (9)$$

Substituting in equation (9) for V from the ideal gas law written in the form

$$PV = nRT , \quad (10)$$

where n is the number of moles and R the universal gas constant, we have

$$dG = \frac{nRT}{P} dP , \quad (11)$$

or

$$dg = RT d(\ln P) \quad (12)$$

where g is the gibbs free energy per mole. Integrating equation (12) from a reference pressure, P^\dagger , to some arbitrary pressure, P, we have

$$g(P) - g(P^\dagger) = RT \ln(P/P^\dagger). \quad (13)$$

Equation (13) relates the gibbs free energy per mole at pressure P to the gibbs free energy per mole at reference pressure P^\dagger .

The change in free energy per mole for a reaction, not necessarily in equilibrium, is given by

$$\Delta g_r = \sum \nu_i g_i, \quad (14)$$

where by convention the stoichiometric coefficient of the ith species is positive if a product and negative if a reactant. Substituting equation (13) into equation (14) we find

$$\Delta g_r = RT \sum \nu_i \ln(P_i/P^\dagger) + \sum \nu_i g_i(P^\dagger) , \quad (15a)$$

where P_i is the partial pressure of the ith species. The last term in equation (15a) represents the net change in free energy per mole in the reaction for all species referred to the reference pressure P^\dagger . This term is defined as Δg° . Equation (15a) can be written as

$$\Delta g_r = RT[\ln \Pi (P_i/P^\dagger)^{\nu_i}] + \Delta g^\circ, \quad (15b)$$

where Π denotes a continued product and logarithmic identities have been employed. Up to this point the P_i have been arbitrary; if now we require that they be the partial pressures at equilibrium, then the net change

in the gibbs free energy per mole must be zero; and we have

$$\Delta g^\circ = - RT \ln K , \quad (16)$$

where

$$K = \Pi (P_i / P^\dagger)^{\nu_i} . \quad (17)$$

Equation (17) is the definition of the equilibrium constant. There are other derivations of equations (16) and (17), based on partition functions and the idea of a chemical potential but they will not be treated here. What we have chosen to do here is explicitly carry the reference pressure, P^\dagger , so that one can see that K is the log of a dimensionless number. The reference state is arbitrary and the numerical value of K will depend upon that state.

Equation (17) can be written

$$K = K_p / K^\dagger , \text{ where} \quad (18)$$

$$K_p = \Pi (P_i)^{\nu_i} \quad \text{and} \quad (19)$$

$$K^\dagger = \Pi (P^\dagger)^{\nu_i} . \quad (20)$$

In equation (20), K^\dagger is a function only of the reference pressure; in equation (19), K_p is a function only of the partial pressures of the system. Both K_p and K^\dagger have dimensions of pressure raised to some power.

The selection $P^\dagger = 1$ (in some units) produces the following effects. The magnitude of K^\dagger in equation (20) is unity, although it still is a dimensioned quantity. Then the magnitude of the dimensionless equilibrium constant K in equation (18) is identical to the magnitude of the dimensioned quantity K_p in equation (19). Operationally one may: (1) compute K_p , (2) ignore the dimensions, and (3) use the value so computed for K . This procedure provides numerically correct results. (For the particular circumstance $\sum \nu_i = 0$, both K^\dagger and K_p are dimensionless with the result that substitution of K_p for K is rigorously correct.)


The most commonly used reference pressure, P^\dagger , is one atmosphere; hence the dimensions of K_p (and K^\dagger) are atmospheres to some power. This power is determined by the reaction itself and how the stoichiometric coefficients are written. For example, consider the overall reaction



From equation (19) we have

$$K_p = \frac{P_{\text{H}_2\text{O}}^2}{P_{\text{H}_2}^2 P_{\text{O}_2}} (\text{atm})^{-1}. \quad (22a)$$

But reaction (21a) can be written as



then

$$K_p = \frac{P_{\text{H}_2\text{O}}}{P_{\text{H}_2} P_{\text{O}_2}^{1/2}} (\text{atmos})^{-1/2}. \quad (22b)$$

Had we selected $P^\dagger = 1 \text{ Pascal} = 1 \text{ Pa} = 1 \text{ Newton/meter}^2 = 1 \text{ Nm}^{-2}$, the dimensions of the equilibrium constants in equations (22a) and (22b) would have been $(\text{Pa})^{-1}$ and $(\text{Pa})^{-1/2}$, respectively. ($1 \text{ atmos} = 1.01325 \times 10^5 \text{ Nm}^{-2}$).

OTHER FORMS OF THE EQUILIBRIUM CONSTANT

Equation (17) is based on partial pressures and is not always the most convenient form for the equilibrium constant. Other forms include equilibrium constants based on moles (or mole fractions) or on concentrations. To express equation (17) in terms of moles we note that from equation (10) we have

$$P_i/P_t = n_i/n_t \quad (23)$$

where the subscript t indicates "total." Substituting into equation (17) for P_i from equation (23), we find

$$K = K_n [P_t/(n_t P^\dagger)]^{\Delta v}, \quad (24)$$

where $K_n = \prod n_i^{\nu_i}$ and $\Delta \nu = \sum \nu_i$. Since the mole fraction is defined as $x_i = n_i/n_t$ we have from equation (24)

$$K = K_x (P_t/P^\dagger)^{\Delta \nu}, \quad (25)$$

where $K_x = \prod x_i^{\nu_i}$. In Equation (25) P_t must be expressed in the same units as P^\dagger .

To express equation (17) in terms of concentrations ("number densities"), we recall the ideal gas law in the form $PV = NkT$, where k is Boltzmann's constant ($= 1.3806 \times 10^{-23} \text{ J deg}^{-1}$). Then

$$P = c kT \quad (26)$$

where $c = N/V$ is the concentration. Substituting into equation (17) for P_i from equation (26), we find

$$K = K_c (kT/P^\dagger)^{\Delta \nu}, \quad (27)$$

where $K_c = \prod c_i^{\nu_i}$. In equation (27) kT must be expressed in the same system of units as P^\dagger .

ACKNOWLEDGEMENT

We thank R. Fifer, D. Golden and G. E. Keller for their constructive comments.

BIBLIOGRAPHY

1. Adamson, A. W., A Textbook of Physical Chemistry, Academic Press, New York, 1973.
2. Allis, W. P., and Herlin, M. A., Thermodynamics and Statistical Mechanics, McGraw Hill, New York, 1952.
3. Barrow, G. M., Physical Chemistry, 3rd Ed., McGraw Hill, New York, 1973.
4. Blinder, S. M., Advanced Physical Chemistry, MacMillan Co., Toronto, Canada, 1969.
5. Everdell, M. H., Statistical Mechanics and Its Chemical Applications, Academic Press, New York, 1975.
6. Mahan, B. H., Elementary Chemical Thermodynamics, W. A. Benjamin, Inc., New York, 1964.
7. Sommerfeld, A., Thermodynamics and Statistical Mechanics, Ed. by F. Bopp and J. Meixner, Trans. by J. Kestin, Academic Press, New York, 1956.

DISTRIBUTION LIST

| <u>No. of</u> <u>Copies</u> | <u>Organization</u> | <u>No. of</u> <u>Copies</u> | <u>Organization</u> |
|--------------------------------|---|--------------------------------|---|
| 12 | Commander Defense Documentation Center ATTN: DDC-TCA Cameron Station Alexandria, VA 22314 | 1 | Commander US Army Missile Research and Development Command ATTN: DRDMI-R Redstone Arsenal, AL 35809 |
| 1 | Commander US Army Materiel Development and Readiness Command ATTN: DRCDMA-ST 5001 Eisenhower Avenue Alexandria, VA 22333 | 1 | Commander US Army Tank-Automotive Development Command ATTN: DRDTA-RWL Warren, MI 48090 |
| 1 | Commander US Army Aviation Research and Development Command ATTN: DRSAB-E 12th and Spruce Streets St. Louis, MO 63166 | 1 | US Army Mobility Equipment Research and Development Command ATTN: Tech Docu Cen, Bldg. 315 DRSME-RZT Fort Belvoir, VA 22060 |
| 1 | Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035 | 1 | Commander US Army Harry Diamond Labs ATTN: DRXDO-TI 2800 Powder Mill Road Adelphi, MD 20783 |
| 1 | Commander US Army Electronics Command ATTN: DRSEL-RD Fort Monmouth, NJ 07703 | 1 | Director US Army TRADOC Systems Analysis Agency ATTN: ATAA-SA White Sands Missile Range NM 88002 |
| 6 | Commander/Director US Army Electronics Command Atmospheric Sciences Laboratory ATTN: Dr. E. H. Holt Mr. N. Beyers Mr. F. Horning Dr. F. E. Niles Dr. M. G. Heaps Dr. D. E. Snider White Sands Missile Range, NM 88002 | 2 | AFGL (LKB, Dr. K. Champion, Dr. W. Swider) Hanscom AFB, MA 01730 |
| | | 1 | Director National Bureau of Standards US Department of Commerce ATTN: R. F. Hampson Washington, DC 20234 |

DISTRIBUTION LIST

| <u>No. of Copies</u> | <u>Organization</u> |
|--------------------------|---|
| 2 | General Electric Company Valley Forge Space Technology Center ATTN: Dr. M. Bortner Dr. T. Baurer P.O. Box 8555 Philadelphia, PA 19101 |
| 2 | Lockheed Palo Alto Research Laboratory ATTN: Dr. J. Reagan Mr. R. Sears 3251 Hanover Street Palo Alto, CA 94304 |
| 1 | Stanford Research Institute ATTN: Dr. D. Golden 333 Ravenswood Avenue Menlo Park, CA 94025 |
| 1 | University of Texas at El Paso Physics Department ATTN: Ms. J. Collins El Paso, TX 79902 |

Aberdeen Proving Ground

Marine Corps LnO
Dir, USAMSAA